INUNDATION, RUN-UP HEIGHTS, CROSS-SECTION PROFILES AND LITTORAL ENVIRONMENT ALONG THE TAMIL NADU COAST AFTER 26^{TH} DECEMBER 2004 TSUNAMI

D. ILANGOVAN, S. JAYAKUMAR, R. GOWTHAMAN, G. TIRODKAR, P. GANESHAN, G. N. NAIK, R. MANI MURALI, G. S. MICHAEL, M. V. RAMANA and KIRTI A. NAIK

APRIL 2005

NIO/TR- 03/2005

EXECUTIVE SUMMARY

On 26 December 2004 the coastal areas of different countries around the Indian Ocean including India were hit by a Tsunami that caused extensive fatalitites and damage to coastal property. On the initiative of Director, National Institute of Oceanography (NIO) and under the leadership of Dr. G. C. Battacharya, Scientist F, NIO,) surveys were carried out along several coastal areas of India for eliciting information about the inundation and several related aspects of the Tsunami. Different locations were surveyed were between Vedaranyam in the south to Pulicat lake on the north of Tamil Nadu and at Krishnapatnam in Andhra Pradesh. The survey was planned to carry out survey as per IOC manuals and Guideline report No. 37 dealing with the Post-Tsunami field surveys. This report pertains to surveys carried out mainly along the Tamil Nadu coast and presents basic data and preliminary information on Tsunami inundation limit, run-up height, cross sectional profiles at different locations and littoral environmental observations in the surf zone.

More than 25 locations were surveyed to assess the inundation limits as well as runup heights. Cross-sectional profiles from the shoreline till the inundation limit were measured using automatic leveling equipment and a graduated staff with reference to local water level at the time of survey. These profiles were reduced to the Chart Datum (CD) approximately arrived from the time of observation of the water line and the corresponding tide predicted for the location. The lateral inundation limit varied between 31 m at Kottaikadu Kuppam village and 862 m at Nagore. The run-up height with respect to CD varied between 1.987 m at Arkattuthurai and 6.54 m at Periyakalapet. Primarily this report presents preliminary findings on Tsunami inundation and detailed data on cross section profiles based on which the Tsunami run-up heights were estimated.

CONTENTS

1.0	INTR	RODUCTION	1
2.0	STU	DY REGION	1
3.0	SCO	PE OF THE STUDY	1
4.0	MET	THODS OF STUDY	2
	4.1	Cross section profiles	2
		Inundation Limit and Run-up	2
	4.3	Littoral environmental observations	2
	4.4	Beach sediments	3
5.0	RES	SULTS & DISCUSSION	3
	5.1	Cross section profiles	3
	5.2	Inundation Limit & Run-up height	3
	5.3	Littoral environmental observations	4
	5.4	Beach sediments	4
6.0	CON	ICLUSIONS	4
7.0	ACK	NOWLEDGEMENTS	5
8.0	REF	ERENCES	5
TAB	LES		6
	JRES		10
APP	ENDIX	- 1 [Cross sectional profiles]	
		- 2 [Sediment size distribution]	

LIST OF TABLES

- 1. Inundation limits and Run-up height
- 2. Littoral Environmental Observations (LEO)
- 3. Median Size of Beach Sediments

LIST OF FIGURES

- 1. Location Map
- 2. Plot Showing Locations of Post-tsunami Field Survey
- 3. Inundation limit and Run-up height
- 4. Inundation limits along the survey locations
- 5. Height of Tsunami Run-up
- 6. Median Grain size of intertidal beach sediments

1.0 INTRODUCTION

A field survey was initiated by NIO, Goa to investigate the extent of inundation and the Tsunami run-up height due to the "26th December 2004 great Tsunami" that had a devastating effect on the Tamil Nadu coast. This report presents the results of the field observations carried out in this context on the cross sectional profiles, littoral environmental observations and inter-tidal sediments during 15th January 2005 to 7th February 2005.

2.0 STUDY REGION

The study region is the south east coast of India along Tamil Nadu (Fig. 1). The different locations that were surveyed are presented in Fig. 2. The study region is between Vedaranyam in the south to Pulicat lake on the north of Tamil Nadu and one location, viz., Krishnapatnam in Andhra Pradesh was also considered in the study.

The coast of Tamil Nadu and Andhra Pradesh on the east coast of India is made of sandy beaches. Few major rivers Cauvery R., Palar R., etc, join the sea on the east coast of India. Many number of streams/ rivulets join the Bay of Bengal too. Often this coast experiences cyclones / storms during northeast monsoon period (October - February) whereas occurrences of Tsunamis are rare in this part of the world.

3.0 SCOPE OF THE STUDY

The scope of the present study is to carryout the following:

- Beach profiles from the water line till the inundation limit of the Tsunami
- o Littoral Environmental observations and Surf zone parameters viz., longshore current velocity, breaking wave parameters, and
- o Inter-tidal beach sediment grain-size distribution

4.0 METHODS OF STUDY

- 4.1 Cross sectional profiles: With reference to local water level at the time of survey, cross-sectional profiles were taken from water line till the inundation limit. Automatic survey leveling equipment and a graduated staff were used to record the beach levels. These levels were reduced to the Chart Datum that were approximately arrived from the time of observation of the water line and the corresponding predicted-tide of the location. The predicted-tide for different locations is obtained by linear interpolation of tides between known tidal stations in the study region. Generally profiles were taken at interval of 5m. Larger intervals were considered where the beach is flat and smaller intervals were considered where beach is highly undulating with features like dunes, ridges, valleys, etc. Wherever the inundation limit was accessible and the terrain is amicable for survey the profiles were taken till the inundation limit otherwise only the position of the inundation limit was noted. It was not possible to complete the cross sectional profile survey at most of the places on the southern stretch of Tamil Nadu coast due to inaccessibility to the maximum inundation points. The locations where the cross sectional profile survey was not up to the inundation limit were Samanthan Pettai, Poompuhar. Thirumallaivasal. Thoduvai Tarangambadi. and Kodiyampalayam. Whereas at all other places the cross sectional profile survey was up to the inundation limit.
- 4.2 Inundation Limit and Run-up: The distance from the landward penetration of the Tsunami to the shoreline is termed as the inundation limit (Fig. 3). The inundation limit is ascertained from visual observations like water marks on the walls of buildings or debris line left while recession of the Tsunami as well as information gathered from the local villagers. The run-up is the height of the maximum inundation limit with respect to the shoreline level. The run-up height can be estimated from the cross sectional profiles or beach profiles. As the profiles are measured at a different time compared to the actual event, the profiles and the run-up heights were reduced to the Chart Datum.
- 4.3 Littoral environmental observations: Breaking wave parameters and the littoral environmental observations were carried out at each station. Breaking wave height, wave period and direction were observed during the study

period. Heights of 10 consecutive breaking waves (breakers) were visually observed and the average of those heights was noted as the corresponding breaking wave height. Simultaneously, the total time elapsed beginning with the first breaker till the eleventh was averaged and recorded as the corresponding breaker period. The wave direction was visually observed and the approximate values are recorded. Longshore current velocity, surf zone width, wind speed and direction are the parameters observed in this study. Neutrally buoyant floats were released in the surf zone and the distance traveled by them in 2 minutes and the direction of travel was noted. The speed and direction of these floats were noted as the longshore current speed and direction. Surf zone width was visually estimated. Wind speed was observed based on the intensity and noted as calm, mild, moderate, medium, strong or very strong which are assumed as 0, 5, 10, 20, 40, or 60 km/h respectively and the direction was observed with the help of a magnetic compass.

4.4 Beach sediments: Beach surface sediment samples from the inter-tidal region, close to the water line, at each station were collected during the study period and sieve analysis was carried out to study the grain size distribution.

5 BASIC DATA & PRELIMINARY RESULTS

- 5.1 Cross sectional profiles: The cross sectional profiles at each of the station are presented in the form of graphs and digital data in Appendix 1. The profiles were terminated at the landward end of the inundation limit. At each of the station, wherever possible more than one profile has been measured one on the north and the other on the south of the entrance to the station.
- 5.2 Inundation Limit & Run-up height. The inundation limits with respect to local time and the run-up height corresponding to the Chart Datum are presented in Table 1. More than 25 locations were surveyed to assess the inundation limits as well as run-up heights. At most of the locations more than one cross section profile was considered to ascertain the inundation and run-up height values. The inundation limit (for the profiles considered till inundation limit) varied between 31 m and 862 m whereas the run-up height varied between 1.987 m and 6.537 m. The minimum inundation limit is observed at Kottaikadu

- Kuppam and the maximum at Nagore (along mid-profiles). The maximum runup height is observed at Periyakalapet (North) and the minimum run-up height is observed at Arkattuthurai.
- 5.3 Littoral environmental observations: Breaking wave parameters and the littoral environmental observations at each of the station are presented in Table. 2. It is observed that the breaking wave heights were seen higher in northern region compared to the southern region and so were the wave periods. The Longshore current was predominantly southerly over the region except at some locations where it was northerly. The southerly longshore currents were seen to be grater in magnitude compared to the northerly currents.
- 5.4 Beach sediments: The inter-tidal beach sediments collected at each of the station were analysed for the grain-size distribution and the data and graphs are presented in Appendix 2. The median grain-size (D50) values at each of the station are presented in Table. 3. the D50 of the sediments north of Poompuhar were observed to be higher compared to the sediments south of Poompuhar. This could be due to the wave climate, which is higher on the north compared to the south.

6 CONCLUSIONS

- o The inundation limits estimated from the survey data, where the profiles were taken till inundation limits, showed that the maximum inundation was observed at Nagore (862 m) followed by Arkattuthurai (385 m). The average inundation distance considering the surveyed locations where the profiles were taken till inundation limits was about 237 m.
- o The run-up heights reduced to Chart Datum showed that the run-up height is higher in the northern region along the Chennai-Pondicherry coast compared to the south along the Poompuhar coast. The maximum run-up height was estimated at Periyakalapet-north (6.53 m) and the minimum at Nagore-north (0.67 m). The average run-up height considering the surveyed locations where the profiles were taken till inundation limits was about 4.0 m.

- o Breaking wave parameters showed that the wave heights as well as wave period were higher in the northern region compared to the southern region.
- o The littoral environmental observations showed that the longshore currents were predominantly in the southward direction with northerly currents are at few locations. The southward longshore currents were much stronger compared to the northward longshore currents.
- o The grain size distribution of the inter-tidal sediments showed that the median size varied between 0.165 mm and 0.865 mm with an average size of about 0.3 mm.

ACKNOWLEDGEMENTS

Dr. Satish R Shetye, Director, NIO, Goa has been instrumental in initiating the Post-Tsunami survey. The authors duly acknowledge the support and encouragement provided by the Director, NIO. The local officials at each of the stations and the helpful villagers who had provided the much needed information and co-operation during the survey are greatly acknowledged

REFERENCES

- IOC Manuals and guides No. 37 Post Tsunami survey guidelines, Intergovernmental Oceanographic Commission, UNESCO, 1998.
- Field guide for measuring Tsunami run-ups and inundations, State of Hawaii, Dept. of Defense, Civil Defense Division, Tsunami Technical Review Committee, Hawaii, 38P, October 2002.

TABLES

Table. 1. Inundation limits and Run-up height

Sr. No.	Station Name	Date	Time	Tide	Pos	ition	Inundation	Run up
				(m)	Latitude	Longitude	Limit (m)	(w.r.t. CD) (m)
1	Arukattuthurai	21/01/05	1435	0.387	10°23'30.51"	79°52'07.14"	385	1.987
2	Velangani (North)	18/01/05	1410	0.530	1	79°51'12.59"	175	4.705
3	Velangani (Middle)	18/01/05	0954	0.230		79° 51'02.22"	325	3.925
4	Velangani (South)	18/01/05	1020	0.250	10°41'12.49"	79°51′13.23″	249	2.145
5	Samanthan Pettai (North)	20/01/05	1103	0.210		79°51'03.54"	152*	1.920*
6	Samanthan Pettai (Middle)	20/01/05	0958	0.200		79°51'03.00"	150*	3.285*
7	Samanthan Pettai (South)	20/01/05	0923	0.220		79°51' 06.06"	174.5*	2.520*
8	Nagore (North)	19/01/05	1412	0.460		79° 51'04.39"	41.5	2.170
9	Nagore (Middle)	19/01/05	1048	0.230	1	79°51'04.38"	862	3.145
10	Nagore (South)	19/01/05	1304	0.420	t .	79° 51'04.37"	37	1.755
11	Karaikal	22/01/05	1444	0.338	i	79°51'08.04"	199.5	2.638
12	Tarangambadi (North)	24/01/05	0942	0.461		79°51'21.07"	160*	3.351*
13	Tarangambadi (Middle)	24/01/05	1055	0.319		79°51'18.09"	401*	1.909*
14	Tarangambadi (South)	24/01/05	1400	0.144	11°02′26.76″		95.5*	2.444*
15	Poompuhar (North)	25/01/05	1345	0.132	11°08'14.34"		225*	0.672*
16	Poompuhar (South)	25/01/05	1101	0.391	11°09'00"	79°51'26.07"	150*	2.181*
17	Thirumullaivasal	26/01/05	0958	0.5712	11°14'31.00"	79°50'38.05"	280*	2.162*
18	Thoduvai	26/01/05	1206	0.352	11°6'23.05"	79°50′26.07″	536*	2.622*
19	Kodiyam Palayam	27/01/05	1115	0.570	11°23'08.34"	1	628*	2.030*
20	Velangirayan	29/01/05	1123	0.576	11°32'15.04"	79°45'44.07"	323.75	3.663
21	Reddiar Pettai - 1	2/2/2005	1240	0.664	11°34'34.00"	79°45'28.06"	75	4.171
22	Reddiar Pettai - 2	2/2/2005	1252	0.690	11°34'34.00"	79°45'28.06"	155	3.210
23	Kurinjipadi	2/2/2005	1133	0.584	11°36'45.03"	79°45'34.08"	372	3.722
24	Thevanampattinam	2/2/2005	0921	0.370	11°44'40.00"	79°47'18.09"	370	3.868
25	Pudu Kuppam	1/2/2005	1545	0.419	11°52'03.00"	79°49'09.36"	105	3.069
26	Periyakalapet (North)	1/2/2005	1124	0.761	12°1'27.18"	79°51'56.08"	350	5.886
27	Periyakalapet (South)	1/2/2005	0946	0.597	12°01'40.08"	79°52'02.52"	175	5.362
28	Periyakalapet (Middle)	1/2/2005	0106	0.788	12°2'03.18"	79°52'17.07"	240	6.538
29	Nochi Kuppam	3/2/2005	1610	0.757	12°05'08.46"	79°53'55.01"	196	3.727
30	Ekkiar Kuppam	3/2/2005	0916	0.325	12°10'49.00"	79°57'37.03"	49	4.525
31	Kottai Kadu Kuppam	3/2/2005	1427	0.793	12°14'42.00"	79°58'59.04"	31	2.498
32	Alambarai Kuppam	3/2/2005	1146	0.621	12°16'04.92"	80°00'55.02"	216	4.576
33	Sadurangapattinam-1	4/2/2005	1055	0.379	12°31'22.09"		250	5.789
34	Sadurangapattinam-2	4/2/2005	1212	0.491	12°31'31.00"	80°09'58.56"	182	5.071
35	Mahabalipuram	4/2/2005	1350	0.767		80°11'56.08"	349	5.433
36	Kovalam	5/2/2005	1020	0.286	12°47'19.09"	 	90	5.419
37	Urur Alcott Kuppam	5/2/2005	1445	0.880	13°00'35.28"	80°16'34.05"	<u> </u>	5.037
38	Krishnapatanam	5/2/2005	1445	0.871	14°15'00"	80°08'16.56"	+	2.198

^{* -} Profiles were not taken till the Inundation Limit

Table 2. Littoral Environmental Observations

Location	Date	Time	Breaking Wave Height	Wave period (sec)	Breaking Wave Angle	Type of Breaker	Longshore Current Velocity	Wind speed (kmph)	Wind Direction
Velangani(Middle)	18/1/2005	1000	(m) 0.7	4	(deg.) 5	5	(m/min.) -3	5	NE
Velangani (South)	18/1/2005		0.6	3	5	3	4	2	NE
Velangani (North)	18/1/2005		0.5	3	4	5	5	2	S
Nagore (Middle)	19/1/2005		0.4	3	2	5	-20	6	S
Nagore (South)	19/1/2005	1330	0.7	4	4	5	-18	6	S
Nagore (North)	19/1/2005	1415	0.8	3	2	5	-25	6	S
Samanthan Pettai (Middle)	20/1/2005	1100	0.4	3	0	5	-20	6	S
Samanthan Pettai (South)	20/1/2005	1330	0.7	4	1	5	-18	6	S
Samanthan Pettai (North)	20/1/2005		8.0	3	2	5	-25	6	S
Arukattuthurai (Vedraniyam)	21/1/2005	1430	0.4	4	3	5	8	10	SW
Karaikal Beach		1445	0.75	4	0	5	-15	5	SW
Tarangambadi (Middle)	24/1/2005	0942	8.0	4	0	5	5	8	S
Tarangambadi (South)	24/1/2005	1055	0.6	5	0	5	6	12	S
Tarangambadi (North)		1444	1.2	4	0	5	-15	5	S
Poompuhar (North)	25/1/2005	1030	0.8	6	0	5	-7	5	NW
Poompuhar (South)	25/1/2005	1340	0.75	3	0	1	-20	5	NW
Thirumullaivasal	26/1/2005	1215	0.6	4	2	5	-15	5	SE
Kodiyam Palayam	27/1/2005	1115	0.5	5	5	1&2	11	5	SE
Velangirayan	29/1/2005	1155	0.56	4	0	5	12	5	SW
Periyakalapet (Middle)	1/2/2005	1130	1.03	9	3	5	4	10	S
Periyakalpet (South)	1/2/2005	1300	1.27	9	1	5	-8	10	S
Periyakalapet (North)	1/2/2005	1540	1.2	8	0	5	-21	10	NE
Thevanampattinam (Cuddalore)	2/2/2005	0915	1.19	8	0	5	-13	10	NE
Kurinjipadi	2/2/2005	1130	1.3	10	0	5	-8	20	NE
Reddiar Pettai - 1	2/2/2005	1240	1.16	10	0	5	-13	10	NE
Ekkiar Kuppam	3/2/2005	0915	1.37	8	0	5	-21	10	NE
Alambarai Kuppam	3/2/2005	1115	1.3	7	1	5	-11	10	NE
Nochi Kuppam	3/2/2005	1610	1.4	7	0	5	-28	20	NE
Sadurangapattinam-1	4/2/2005	1100	1.5	7	2	5	-17	20	NE
Sadurangapattinam-2	4/2/2005	1210	1.8	8	2	5	-13	20	NE
Mahabalipuram Beach	4/2/2005	1350	1.75	8	0	5	3	20	NE :
Kovalam Beach	5/2/2005	1015	1.15	9	0	5	6	5	NE
Urur Kuppam	+	1440	1.26	11	0	5	7	10	NE
Krishnapatanam	6/2/2005	1315	0.75	7	0	5	-13	5	NE


(Type of breaker: 1- Spill, 2-Plunge, 3-Collapse, 4-Spill and plunge, 5-Plunge and Spill. Longshore current velocity: -ve Northerly, +ve Southerly)

Alegovi, per upo di Prio prije male je vi pove pove v razvovaje. Na videovo v vije. V vrijena da jed v razvima je vinesa povina v vene na vene v V vene v vene

Table 3. Median Size of Beach Sediments D_{50} during the survey

Sr. No.	Station Name	D ₅₀ Value (mm)
1.	Arukattuthurai	0.275
2	Velangani (Middle)	0.275
3	Samanthan Pettai (Middle)	0.200
4	Nagore (Middle)	0.250
5	Karaikal Beach	0.210
6	Tarangambadi (Middle)	0.230
7	Poompuhar (South)	0.530
8	Poompuhar (North)	0.290
9	Thirumullaivasal	0.270
10	Kodiyam Palayam - 1	0.200
11	Kodiyam Palayam - 2	0.175
12	Velangirayan	0.225
13	Reddiar Pettai - 1	0.230
14	Kurinjipadi	0.260
15	Thevanampattinam (Cuddalore)	0.320
16	Pudu Kuppam	0.405
17	Periyakalapet (South)	0.710
18	Periyakalapet (Middle)	0.360
19	Periyakalapet (North)	0.390
20	Nochi Kuppam	0.380
21	Ekkiyar Kuppam	0.240
22	Kottai Kadu Kuppam	0.415
23	Alambarai Kuppam	0.330
24	Sadurangapattinam-1	0.340
25	Mahabalipuram Beach	0.380
26	Kovalam Beach	0.865
27	Urur Alcott Kuppam	0.290
28	Krishnapatanam	0.165

FIGURES






Fig. 2. Plot Showing Locations of Post-tsunami Field Survey




Fig. 3. Inundation limit and Run-up height




Fig. 4. Inundation limits along the survey locations




Fig. 5. Height of Tsunami Run-up






Fig.6. Median Grain size of intertidal beach sediments

Appendix 1




Distance(m)	Elevation(m)
0	0
5	0.18
10	0.32
15	0.51
15 20	0.55
25 30 `	0.56
30 '	0.65
35 ·	0.74
40	0.62
45	0.65
50	0.96
55	0.67
60	0.61
65	0.94
70	1.17
75	0.88
80	0.92
85	0.96
90	1
95	1.09
100	0.71
105	0.64
110	0.7
115	0.78
120	0.96
125	1
130	0.92
135	0.88
140	0.9

145	0.67		
150	0.78		
155	0.94		
160	0.82		
165	0.8		
170	0.91		
175	0.85		
180	0.98		
185	1.02		
190	1		
195	1.08		
200	1.55		
205	1.38		
210	1.16		
215	1.14		
220	1.09		
225	1.11		
230	1.1		
235	1.11		
240	1.13		
245	1.11		
265	1.16		
285	1.17		
305	1.24		
325	1.36		
345	1.5		
365	1.56		
385	1.6		
Inundation limit reached			



Distance(m)	Elevation(m)
0	0
5	0.73
10	1.19
15	1.16
20	1.07
25	0.98
30	0.91
35	0.85
40	0.9
45	1.055
50	1.105
55	1.165
60	1.245
65	1.365
70	1.51
75	1.675
80	1.905
85	2.265
90	2.715


Distar	nce(m)				
	95	3.605			
	100	3.565			
	105	3.915			
	110	3.945			
	115	3.755			
	120	3.635			
	125	3.515			
	130	3.365			
	35	3.345			
	140	3.215			
	145	3.18			
	150	3.125			
	155	3.025			
	160	3.045			
	165	2.965			
	170	2.875			
	175	4.175			
	Inundation limit reached				



Distance(m)	Elevation(m)
0	0
5	0.36
10	0.67
15	0.83
20	0.95
25	0.98
30	1.04
35	1.06
40	1.32
45	1.505
50 55	1.525
55	1.465
60	1.42
65	1.405
70	1.405
75	1.405
80	1.415
85	1.41
90	1.405
95	1.385
100	1.375
105	1.395
110	1.545
115	2.05
120	1.855
70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 145 150	1.715 1.765
130	
135	1.735
140	1.71
145	1.735
150	1.8

155	1.855		
160	1.88		
165	1.965		
170	2.005		
175	2.085		
180 .	2.185		
185	2.285		
190.1	2.375 2.495		
195	2.495		
200	2.605 2.745		
205	2.745		
205 210 215.1 220	2.82		
215.1	2.915		
220	3 3.095		
225 230 235	3.095		
230	3.165		
235	3.23 3.31		
240	3.31		
245	3.415		
250	3.535		
255	3.68		
260	3.68 3.84		
270.1	3.94		
275	4.02		
285	4.055		
295	3.93		
305	3.875		
315	3.775		
325	3.695		
Inundation li	Inundation limit reached		


A1-4



Distance(m)	Elevation(m)
0	0
5	0.785
10	1.27
15.	1.31
20	1.36
25	1.33
30	1.365
35	1.43
40	1.64
45	1.945
50	2.45
55	3.25
59	3.81
60	3.5
64	2.61
69	2.57
74	2.765
79	2.655
84	2.46
89	2.51
94	2.53
99	2.59
104	2.58
109	2.56
114	2.53
119	2.455
124	2.35


129	2.11
134	1.945
139	1.87
144	1.89
149	1.965
154	2.015
159	1.985
164	1.995
169	1.975
174	1.925
179	1.895
184	1.95
186	2.015
189	2.025
194	2.01
199	1.995
204	2.025
214	1.945
224	1.855
229	1.755
234	1.515
239	1.665
244	1.655
249	1.895
Inundation lin	nit reached

A1-5




Distance(m)	Elevation(m)	
0	0	
5	0.06	
10	0.1	
15	0.145	
20	0.195	
25	0.25	
-30	0.325	
35	0.4	
40	0.485	
45	0.58	
50	0.685	
55	0.78	
60	0.87	
65	0.845	
70	0.795	
75	0.755	
80	0.735	
85	0.735	
90	0.725	
95	0.715	
100	0.695	
105	0.7	
110	0.72	
115	0.755	
117	0.755	
122	0.775	
127	1.235	
132	2.045	
137	0.715	
142	1.115	

147	1.295	
152	1.71	
Inundation limit NOT		
reached		




Distance(m)	Elevation(m)
0	0
5	0.33
10	0.63
15	0.9
20	0.99
25	1.015
30	1.07
35	1.13
40	1.185
45	1.22
50	1.38
55	1.42
60	1.58
65	1.67
70	1.75
75	1.81
80	1.87

tance(m)	
85	1.86
90	1.91
95	2.015
100	2.27
105	2.075
110	2.175
115	2.185
120	2.365
125	2.375
130	2.45
135	2.485
140	2.53
145	2.595
150	3.085
Inundation lin	nit NOT
reached	




Distance(m)	Elevation(m)
0	0 0.4
5	0.4
10	0.92
15	1.39
20 ·	1.61
25	1.69
30	1.68
35	1.755
40	1.89
45	2 2.125 2.23 2.4
50	2.125
55	2.23
60	2.4
65	2.49
70	2.405
75	2.3
80	1.9
85	1.5
90	1.46
95	1.435
100	1.55
105	1.92
110	2.4
114.5	2.38
119.5	1.495

istance(m)	
124.5	1.54
129.5	1.59
134.5	1.915
139.5	1.995
144.5	2
149.5	2.005
154.5	2.02
159.5	2.05
164.5	2.035
169.5	2.155
174.5	2.3
Inundation	limit NOT
reached	



	~	
Distance(m)	Elevation(m)	
0	0	
5	0.35	
10	1.14	
11	1.87	
11.5	1.92	
16.5	1.58	
21.5	1.39	
26.5	0.725	
31.5	0.715	
36.5	1.08	
41.5	1.71	
Inundation lin	nit reached	



A1-10

3.23

2.19

2.22

3.59

2.3

2.32

2.275

496

506

516

526

556

586

616

1

1.09

1.67

1.65 1.63

1.63

1.18

1.3

105

110

115


120

125


130

135

140




Distance(m)	Elevation(m)	
0	0	
5	0.305	
10	0.655	
15	1.105	
15.5	1.265	
20.5	1.645	
22.5	2.955	
27.5	2.82	
29	2.625	
32	1.4	
37	1.335	
Inundation lin	nit reached	




Distance(m)	Elevation(m)
0	0
5	0.56
10.5	1.44
15.5	1.33
20.5	1.23
25.5	1.195
30.5	1.19
35.5	1.175
40.5	1.165
45.5	1.14
50.5	1.075
55.5	0.96
60.5	0.985
65.5	1.05
70.5	1.13
75.5	1.26
80.5	1.2
85.5	1.24
90.5	1.27
95.5	1.275
100.5	1.32
105.5	1.34
110.5	1.34
115.5	1.37
120.5	1.43
125.5	1.48
130.5	1.5

135.5	1.54
140.5	1.59
145.5	1.73
150.5	1.8
152.5	1.83
155.5	1.74
159.5	1.07
164.5	1.76
169.5	1.88
174.5	1.96
179.5	1.97
184.5	2.02
189.5	2.08
194.5	2.1
199.5	2.3
Inundation limit reached	



Distance(m)	Elevation(m)	
0	0	
5	0.31	
10	0.86	
15	1.51	
20	1.46	
25	1.35	
30	1.29	
35	1.19	
40	1.31	
45	1.41	
50	1.485	
55	1.515	
60	1.93	
65	1.78	
70	1.93	
75	2.06	
80	2.1	
85	2.125	
90	2.045	
95	2.02	
100	1.96	
105	1.89	
110 .	1.85	
115	1.93	
120	1.83	
125	1.81	
130	1.78	
135	1.77	


nce(m) 140	1.77	
145	1.74	
150	1.715	
155	1.77	
160	1.71	
Inundatio reached	n limit NOT	




Distance(m)	Elevation(m)
0	0
5	0.18
10	0.54
15	0.66
20	0.7
25	0.67
30	0.61
35	0.57
40	0.52
45	0.53
50	0.52
55	0.55
60	0.725
65	0.815
70	0.8
75	0.81
80	0.83
85	0.85
90	0.88
95	0.91
100	0.93
105	0.94
110	0.95
115	0.97
120	0.97
125	0.93
130	0.95
135	1.01
140	1.05
145	1.09
150	1.11

Dista	nce(m)	
	155	1.12
ſ	160	1.14
	165	1.15
ſ	185	1.01
ſ	205	1.03
[225	0.91
	245	0.95
Ī	265	1.04
Ī	285	1.145
	305	1.01
	325	0.99
	345	1.045
Ī	381	0.81
1	401	1.08
Ì	Inundation limit NOT	
l	reached	

A1-14




Distance(m)	Elevation(m)
0	0
5	0.32
10	0.8
15	1.34
20	1.735
25	1.725
30	1.8
35	2.135
40	2.535
45	2.91
50	3.61
55	4.12
55.5	3.17
60.5	3.16
65.5	3.31
70.5	3.24
75.5	2.87
80.5	2.71
85.5	2.55
90.5	2.26
95.5	2.04
Inundation limit NOT	
reached	<u> </u>



Distance(m)	Elevation(m)
0	0
5	0.14
10	0.325
15	0.435
20	0.54
25	0.65
30	0.78
35	0.955
40	1.16
45	1.38
50	1.56
55	1.57
60	1.51
65	1.46
70	1.43
75	1.4
80	1.455
85	1.535
90	1.49
95	1.56
100 -	1.565
105	1.64
110	1.59
115	1.565
120	1.59
125	1.6

130	1.6
135	1.605
140	1.62
145	1.63
150	1.31
155	0.98
160	1.37
165	1.54
170	1.54
175	1.49
180	1.51
185	1.43
190	1.38
195	1.44
200	1.26
205	1.2
210	1.09
215	0.945
220	0.78
225	0.54
Inundation limit NOT	
reached	

A1-16




Distance(m)	Elevation(m)
0	0
5	0.15
10	0.43
15	1.18
20	1.7
25	1.71
30	1.725
35	1.805
40	2.32
45	2.03
·50	1.975
55	1.97
60	2.015
65	2.04
70	2.04
75	2.03
80	2.02
85	2.01
90 ,.	2.015
95	1.995
100	1.955
105	1.915
110	1.83
115	1.62

120	1.13
125	1.035
130	1.25
135	1.585
140	1.785
145	2.365
150	1.79
Inundation limit NOT	
reached	

A1-17

 $[\]delta H$ rights reserved. This report, or parts thereof may not be reproduced in any form without the prior written permission of the Director, NIO.




Distance(m)	Elevation(m)
0	0
5	0.165
10	0.325
15	0.485
20	0.535
25	0.71
30	0.985
35	1.345
40	1.525
45	1.625
50	1.555
55	1.425
60	1.315
65	1.235
70	1.195
75	1.165
80	1.145
85	1.165
90	1.2
95	1.295
100	1.2
105	1.225
110	1.3
115	1.32
120	1.405
125	1.42
130	1.41
135	1.38

140	1.49
145	1.55
150	1.74
155	1.58
205	1.665
255	1.82
280	1.835
Inundation limit NOT	
reached	

A1-18


 $[\]Delta H$ rights reserved. This report, or parts thereof may not be reproduced in any form without the prior written permission of the Director, NIO.



Distance(m)	Elevation(m)
0	0
5	0.3
10	0.55
15	0.79
20	1.045
25 ⁻	1.355
30	1.605
35	1.79
40	1.93
45	2.07 2.24
50	2.24
55	2.4
60	2.54
65	2.585
70	2.57
75	2.45
80	2.375
85	2.355 2.37
90	2.37
95	2.27 2.1 1.83
100	2.1
105	1.83
110	1.635
115	1.56
120	1.47
125	1.36
145	1.085
155	1.2

168	1.2
175	1.2
195	1.2
218	1.175
238	1.245
248	1.23
303	1.225
303	1.46
348	1.475
358	1.44
360	1.87
410	1.76
460	2.415
510	1.96
536	2.27
Inundation limit NOT reached	


A1-19



Distance(m)	Elevation(m)
0	0
5	0.28
10	0.64
15	0.91
20	1.195
30	1.23
40	1.21
50	1.33
60	1.47
70	1.53
71	1.56
81	1.56
101	1.555
121	1.42
141	1.08
161	1.21
181	1.35
201	1.41
221	1.31
241	1.205
261	1.18
281	1.14
301	1.04
321	1.08
341	0.99
361	1.04
381	1.14

401	1.145
421	1.115
441	1.025
461	1.065
468	0.81
488	0.83
508	0.64
528	0.78
548	0.7
568	0.81
588	0.89
608	1.19
628	1.12
Inundation limit NOT	
reached	


A1-20




Distance(m)	Elevation(m)
0	0
5	0.42
10	0.95
15	1.13
20	1.03
25	0.94
30	0.86
35	0.85
40	0.88
45	0.95
50	1.04
55	1.09
60	1.13 1.15
65	1.15
70	1.14
75	1.13 1.14
80	1.14
85	1.11
90	1.05
95	1.07
100	1.09
105	1.1
110	1.12
115	1.175
120	1.215
125	1.255
128.75	1.385
133.75	1.805
138.75	1.8
143.75	1.78
148.75	1.77.5

153.75	1.67
158.75	1.675
163.75	1.695
168.75	1.665
173.75	1.59
178.75	1.615
183.75	1.665
188.75	1.65
193.75	1.56
198.75	1.53
203.75	1.54
208.75	1.545
213.75	1.7
218.75	1.59
223.75	1.6
228.75	1.605
233.75	1.615
238.75	1.365
243.75	1.6
248.75	1.8
253.75	1.615
258.75	1.64
263.75	1.6
268.75	1.655
273.75	1.7
278.75	1.75
283.75	1.845
288.75	1.9
293.75	1.9
298.75	1.967
323.75	3.087
Inundation limit reached	

A1-21




Distance(m)	Elevation(m)
0	0
5	0.605
10	0.92
15	1.01
20	1.58
25	1.525
30	1.76
35	1.71
40	1.8
45	2.46
50	2.855
55	2.705
60	2.97
65	3.33
70	3.495
75	3.507
Inundation limit reached	



Distance(m)	Elevation(m)
0	0
5	0.445
10	0.81
15	0.905
20	0.993
25	1.152
30	1.53
35	1.523
40	1.67
45	1.675
50	1.702 1.975
55	
60	2.69
65	2.87
70	2.71
75	2.795
80	3.29
85	3.35
90	3.455
95	3.63
100	3.815
105	2.783
110	2.99
115	3.15
120	3.19 3.15
125	3.15
130	3.052
135	2.93
140	2.772
145	2.705

150	2.6
155	2.52
Inundation	limit reached




Distance	Elevation
(m)	(m)
0	0
5	0.548
10	0.56
15	1.047
20	1.008
25	0.91
30	0.845
35	0.805
40	0.705
45	0.7
50	0.9
55	0.905
60	1.175
61	1.36
62	1.59
65	1.68
70	1.665
75	1.64
80	1.73
85	1.835
90	1.93
95	2.125
100	2.37
105	2.59
110	2.725
115	2.815
120	2.925
125	3.05
130	3.238

135	3.431
140	3.668
145	3.878
150	3.848
155	3.658
160	3.163
165	2.853
170	2.603
175	2.503
180	2.553
185	2.493
190	2.473
195	2.388
200	2.408
205	2.428
210	2.38
215	2.473
220	2.513
225	2.513
230	2.538
235 240	2.608
	2.518
245	2.438
250	2.548
255	2.483
260	2.573
265	2.598
270	2.628
275	2.688
280	2.718
285	2.673

r	
290	2.69
295	2.688
300	2.758
305	2.773
310	2.683
315	2.733
320	2.913
325	2.928
330	2.953
335	2.978
340	2.998
345	3.203
350	3.165
355	3.173
360	3.148
365	3.165
370	3.163
372	3.138
Inundation limit	
reached	

A1-24




Distance	Elevation
(m)	(m)
0	0
5	0.533
10	1.125
15	1.27
20	1.135
25	1
30	1.002
35	0.985
40	1.08
45	1.165
50	1.283
55	1.343
60	1.383
65	1.468
70	1.428
75	1.493
80	1.623
85	1.783
90	1.963
95	2.188
100	2.298
105	2.338
110	2.318
115	2.348 2.358
120	2.358
125	2.418
130	2.463
135	2.503
140	2.468


150 2.443 155 2.503 160 2.498 165 2.513 170 2.498 175 2.533 180 2.558 185 2.578 190 2.618 195 2.703 200 2.648 205 2.643 210 2.603 215 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.568 290 2.568	145	2.498
155 2.503 160 2.498 165 2.513 170 2.498 175 2.533 180 2.558 185 2.578 190 2.618 195 2.703 200 2.648 205 2.603 210 2.603 225 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	150	
160 2.498 165 2.513 170 2.498 175 2.533 180 2.558 185 2.578 190 2.618 195 2.703 200 2.648 205 2.643 210 2.603 215 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568		2.503
170 2.498 175 2.533 180 2.558 185 2.578 190 2.618 195 2.703 200 2.648 205 2.643 210 2.603 215 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	160	
170 2.498 175 2.533 180 2.558 185 2.578 190 2.618 195 2.703 200 2.648 205 2.643 210 2.603 215 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	165	2.513
175 2.533 180 2.558 185 2.578 190 2.618 195 2.703 200 2.648 205 2.643 210 2.603 215 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	170	2.498
180 2.558 185 2.578 190 2.618 195 2.703 200 2.648 205 2.643 210 2.603 215 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	175	
185 2.578 190 2.618 195 2.703 200 2.648 205 2.643 210 2.603 215 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	180	
190 2.618 195 2.703 200 2.648 205 2.643 210 2.603 215 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.568	185	2.578
195 2.703 200 2.648 205 2.643 210 2.603 215 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.558 288 2.568		2.618
200 2.648 205 2.643 210 2.603 215 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.568		2.703
205 2.643 210 2.603 215 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	200	2.648
210 2.603 215 2.568 220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	205	2.643
220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.568	210	2.603
220 2.628 225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.568	215	2.568
225 2.593 230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.568	220	2.628
230 2.568 235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	225	2.593
235 2.458 240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	230	2.568
240 2.433 245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	235	2.458
245 2.423 250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	240	2.433
250 2.498 255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568		2.423
255 2.473 260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	250	
260 2.508 265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	255	2.473
265 2.503 270 2.513 275 2.523 280 2.533 285 2.558 288 2.568	260	
270 2.513 275 2.523 280 2.533 285 2.558 288 2.568		
275 2.523 280 2.533 285 2.558 288 2.568	270	2.513
280 2.533 285 2.558 288 2.568		2.523
288 2.568		2.533
288 2.568	285	
	288	
	290	2.568

300	2.603
310	2.603
320	2.708
330	2.768
340	2.958
350	3.118
360	3.328
370	3.498
Inundation limit	
reached	

A1-25




Distance(m)	Elevation(m)
0	0.475
5	0.475
10	0.965
15	1.275
20	1.39
25	1.76
30	2.095
34	2.025
35	1.775
40	1.86
45	2.1
50	1.94
52	2.14
56	2.735
58	2.38
59	2.18
60	2.09
65	1.975
70	1.755
75	1.75
80	1.81
85	1.815
90	1.71
95	1.75
100 "	2.055
105	2.65
Inundation lim	nit reached




Distance(m)	Elevation(m)
0	0
10	1.685
15	1.33
25	0.71
30	0.725
40	1.17
50	1.23
`60	1.22
70	1.175
80	1.36
90	1.705
100	1.985
110	1.885
120	2.275
130	2.34
140	2.56
150	2.895
160	2.8
170	2.75
180	2.86
190	3 3.215
200	
210	3.155
220	2.835
230	2.925
240	3.145
249	3.385
250	3.37
260	3.575
270	3.71

Dista	Distance(m)		
	280	3.86	
	290	3.865	
	300	4.725	
	306	6.16	
	310	5.99	
	315	5.68	
	320	5.105	
	325	4.675	
	330	4.57	
	335	4.73	
	340	4.825	
	350	5.125	
	Inundation limit reached		




Distance(m)	Elevation(m)
0	0
	0.86
9	1.535
10	1.55
15	1.58
20	1.795
25	1.995
30	2.375
40	2.805
50	3.44
60	3.425
70	3.52
80	3.62
90	3.52
95	3.47
100	3.44
105	3.395
115	3.365
125	3.56
135	3.245
145	4.05
150	3.67
155	3.985
165	4.31
175	4.765
Inundation lin	nit reached

A1-28




Distance(m)	Elevation(m)
0	0
5	1.22
10	1.785
20	1.22
30	0.65
40	0.595
50	0.44
60	0.74
70	0.885
80	0.96
90	1.05
100	1.16
110	1.48
117	2.27
119	2.395
121	2.34
130	1.89
140	2.175
150	2.59
160	2.76
170	2.935
180	2.93
190	3.155
200	3.435
210	3.555
220	3.74
225	4.055

230	4.365
235	5.155
240	5.75
Inundation limit reached	




Distance(m)	Elevation(m)
0	0
5	0.915
8	1.525
10	1.49
15	1.255
20	1.34
30	1.61
40	1.965
50	2.105
60	2.107
70	2.155
80	2.5
90	3.01
100	3.647
102	3.73
110	3.98
120	3.895
123	3.955
130	3.825
140	3.587
150	3.325
160	3.08
170	2.825
180	2.885
190	2.885
196	2.97
Inundation limi	t reached


A1-30



Distance(m)	Elevation(m)
0	0
5	0.633
10	1.05
15	1.593
20	2.355
25	2.56
27	2.96
28	3.12
30	3.25
34	3.175
35	3.09
40	3.19
45	3.525
47	3.865
49	4.2
Inundation limit reached	




Distance(m)	Elevation(m)
0	0
1	0.165
2	0.252
7	0.262
12	0.23
17	0.275
22	0.493
23	0.702
28	1.202
29	1.405
30	1.62
31	1.705
Inundation lin	nit reached



Distance(m)	Elevation(m)
5	0.835
6	1.56
10	1.452
15	1.215
20	0.99
30	0.555
40	0.595
50	0.535
60	0.47
70	0.375
80	0.35
90	0.3
100	0.255
110	0.235
120	0.22
130	0.175
140	0.08
150	-0.165
160	-0.345
170	-0.15
180	-0.185
190	0.075
191	0.54
192 "	0.845
197	1.66
202	2.56
207	3.365
212	3.667
216	3.955
Inundation limit reached	

A1-33

 $^{^{2}}$ MI rights reserved. This report, or parts thereof may not be reproduced in ray form without the prior written permission of the Director, N1O




Distance(m)	Elevation(m)
0	0
5	1.115
10	2.145
12	2.57
15	2.525
20	2.205
25	2.31
30	2.93
35	3.15
40	3.345
45	3.435
50	3.53
55	3.565
60	3.675
65	3.727
70	3.705
75	3.775
80	3.85
85	3.965
90	4.19
95	4.35
100	4.37
105	4.542
110	4.642
120	4.57
130	4.475
140	4.513
150	4.32
160	4.083
169	3.945


180	3.953
185	4.068
195	4.173
199	4.273
205	4.375
215	4.773
225	4.955
235	5.135
240	5.285
250	5.41
Inundation limit reached	

A1-34

 $^{^{13}\!\}mathrm{l}$ rights reserved. This report, or parts thereof may not be reproduced in any forms without the prior written permission of the Director, NIO




Distance(m)	Elevation(m)
0	0
5	0.545
10	1.205
15	2.195
25	2.165
35	1.76
45	1.72
55	1.915
65	2.1
75	2.205
85	2.305
95	2.435
101	2.515
115	2.6
125	2.707
135	2.875
145	3.09
155	3.405
160	3.56
165	3.69
170	4.195
175	4.425
182	4.58
Inundation lim	it reached




0 0 5 0.915 10 1.11 15 1.69 20 1.52 25 1.275 30 0.84 35 1.015 40 1.015 45 1.245 50 1.52 55 1.745 60 1.96 65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 116 2.805 120 2.835 125 2.91 130 2.965 135 2.968 140 2.945	Distance(m)	Elevation(m)
10 1.11 15 1.69 20 1.52 25 1.275 30 0.84 35 1.015 40 1.015 45 1.245 50 1.52 55 1.745 60 1.96 65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	0	
15 1.69 20 1.52 25 1.275 30 0.84 35 1.015 40 1.015 45 1.245 50 1.52 55 1.745 60 1.96 65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	5	0.915
20 1.52 25 1.275 30 0.84 35 1.015 40 1.015 45 1.245 50 1.52 55 1.745 60 1.96 65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	10	1.11
25 1.275 30 0.84 35 1.015 40 1.015 45 1.245 50 1.52 55 1.745 60 1.96 65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	15	1.69
25 1.275 30 0.84 35 1.015 40 1.015 45 1.245 50 1.52 55 1.745 60 1.96 65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	20	1.52
35 1.015 40 1.015 45 1.245 50 1.52 55 1.745 60 1.96 65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968		1.275
40 1.015 45 1.245 50 1.52 55 1.745 60 1.96 65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	30	0.84
45 1.245 50 1.52 55 1.745 60 1.96 65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	35	1.015
50 1.52 55 1.745 60 1.96 65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	40	
55 1.745 60 1.96 65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	45	1.245
60 1.96 65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	50	1.52
65 2.175 70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	55	1.745
70 2.29 75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 116 2.805 120 2.835 125 2.91 130 2.965 135 2.968	60	1.96
75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	65	
75 2.38 80 2.415 85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	70	2.29
85 2.45 90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 120 2.835 125 2.91 130 2.965 135 2.968	75	2.38
90 2.455 95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 116 2.805 120 2.835 125 2.91 130 2.965 135 2.968	80	2.415
95 2.47 100 2.56 105 2.597 110 2.75 115 2.805 116 2.805 120 2.835 125 2.91 130 2.965 135 2.968	85	2.45
100 2.56 105 2.597 110 2.75 115 2.805 116 2.805 120 2.835 125 2.91 130 2.965 135 2.968	90	2.455
105 2.597 110 2.75 115 2.805 116 2.805 120 2.835 125 2.91 130 2.965 135 2.968	95	2.47
110 2.75 115 2.805 116 2.805 120 2.835 125 2.91 130 2.965 135 2.968	100	2.56
115 2.805 116 2.805 120 2.835 125 2.91 130 2.965 135 2.968	105	2.597
115 2.805 116 2.805 120 2.835 125 2.91 130 2.965 135 2.968	110	2.75
116 2.805 120 2.835 125 2.91 130 2.965 135 2.968		2.805
120 2.835 125 2.91 130 2.965 135 2.968		
125 2.91 130 2.965 135 2.968		2.835
130 2.965 135 2.968		2.91
135 2.968		

145	2.895
150	3.017
153	2.975
155	2.935
160	2.938
170	2.943
190	2.983
200	2.978
210	2.958
220	3.028
230	3.083
240	3.143
250	3.248
260	3.438
270	3.533
280	3.768
290	3.796
298	3.733
300	3.808
310	3.973
319	4.193
320	4.236
325	4.643
349	4.666
Inundation limit reached	




Distance(m)	Elevation(m)
0	0
5	0.94
9	2.025
10	2.715
15	2.413
20	2.728
25 .	2.88
30	2.964
35	3.054
40	3.09
45	3.635
50	3.133
51	3.638
55	4.001
60	4.058
65	4.303
70	4.448
75	4.728
80	5.028
85	2.728
90	5.133
Inundation limit reached	



Distance(m)	Elevation(m)	
0	0	
5	0.61	
10	0.66	
15	1.667	
20	1.775	
25	2.08	
30	2.045	
35	1.955	
40	1.927	
45	2.18	
50	1.99	
55	1.825	
60	1.868	
65	2.216	
70	2.177	
75	2.272	
80	2.683	
85	2.887	
90	2.679	
95	2.784	
100	3.052	
105	3.224	
106	3.552	
113	4.157	
Inundation lim	Inundation limit reached	

A1-38



Distance(m)	Elevation(m)
0	0
5	0.185
10	0.335
15	0.44
20	0.495
25	0.595
30	0.765
35	0.96
40	1.16
45	1.34
50	1.477
55	1.55
60	1.56
65	1.577
70	1.695
75	1.915
80	2.225
85	2.64
90	2.96
95	2.815
100	2.885
105 "	2.36
110	1.795
115	1.655
120	1.535
125	1.435
130	1.435

135	1.455
140	1.415
145	1.385
150	1.362
155	1.317
156	1.327
Inundation limit reached	


A1-39

Appendix 2

Station Name: Arukattuthurai (Vedaranyam)

Date of collection: 21/01/2005 Time: 2:35:00 PM


Sr. No	Sieve size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
. 2	1000	1.0332	0.715	0.715	99.285	
3	500	23.4376	16.224	16.939	83.061	
4	425	0	0.000	16.939	83.061	
5	300	30.9972	21.457	38.396	61.604	
6	212	52.0916	36.059	74.456	25.544	
7	150	29.0553	20.113	94.569	5.431	
8	75	5.7499	3.980	98.549	1.451	
9	Pan	2.0964	1.451	100.000	0.000	
	Total:	144.461				



 D_{50} =275 microns

Station Name: Velangani Date of collection: 18/01/05 Time: 2:10:00 PM

Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0.0956	0.053	0.053	99.947	
2	1000	3.1338	1.747	1.801	98.199	·
. 3	500	40.934	22.825	24.626	75.374	
4	425	0	0.000	24.626	75.374	
5	300	29.087	16.219	40.846	59.154	
6	212	53.7056	29.947	70.793	29.207	
7	150	43.6224	24.325	95.117	4.883	
8	75	7.7758	4.336	99.453	0.547	
9	Pan	0.9808	0.547	100.000	0.000	
	Total:	179.335				




 $D_{50} = 275$ microns

Station Name: Samanthan Pettai

Date of collection: 20/01/05 Time: 9:23:00 AM


Sr. No	Sieve size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0	0.000	0.000	100.000	·
. 3	500	5.5296	3.312	3.312	96.688	
4	425	0	0.000	3.312	96.688	
5	300	6.1384	3.676	6.988	93.012	
6	212	59.6916	35.751	42.740	57.260	
7	150	75.5391	45.243	87.983	12.017	
8	75	14.9416	8.949	96.932	3.068	
9	Pan	5.1229	3.068	100.000	0.000	
	Total:	166.963				



D₅₀ =200 microns

Station Name: Nagore Date of collection: 19/01/05 Time: 10:48:00 AM

Sr. No	Sieve size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0	0.000	0.000	100.000	
. 3	500	3.1358	1.929	1,929	98.071	
4	425	0	0.000	1.929	98.071	
5	300	34.13	20.994	22.923	77.077	
6	212	73.3164	45.099	68.022	31.978	
7	150	39.2346	24.134	92.156	7.844	
8	75	9.4612	5.820	97.976	2.024	
9	Pan	3.2906	2.024	100.000	0.000	
	Total:	162.569				




 $D_{50} = 250 \text{ microns}$

Station Name: Karaikal Date of collection: 22/01/05

Time	٠.	2.4	4 ·N	n	PM
1 1/1/16	=.	Z.4	+.U	u	T IVI


Sr. No	Sieve size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0.2536	0.160	0.160	99.840	
. 3	500	4.5844	2.893	3.053	96.947	
4	425	0	0.000	3.053	96.947	
5	300	12.7548	8.050	11.103	88.897	
6	212	58.6972	37.045	48.149	51.851	
7	150	62.1088	39.199	87.347	12.653	
8	75	14.7475	9.308	96.655	3.345	
9	Pan	5.3002	3.345	100.000	0.000	
	Total:	158.447				



 $D_{50} = 210 \text{ microns}$

Station Name: Tarangambadi Date of collection: 22/01/2005 Time: 9:42:00 AM

Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0.0568	0.030	0.030	99.970	
3	500	3.5578	1.852	1.882	98.118	
• 4	425	0	0.000	1.882	98.118	
5	300	21.3657	11.122	13.003	86.997	
6	212	91.9488	47.864	60.867	39.133	
7	150	51.9744	27.055	87.923	12.077	
8	75	14.7024	7.653	95.576	4.424	
9	Pan	8.499	4.424	100.000	0.000	
	Total:	192.105				




 $D_{50} = 230 \text{ microns}$

Station Name: Poompuhar -1 **Date of collection:** 25/01/05

Time: 1:45:00 PM

Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	2.8249	1.807	1.807	98.193	
2	1000	22.2387	14.223	16.029	83.971	
3	500	56.4808	36.122	52.151	47.849	
. 4	425	0	0.000	52.151	47.849	
5	300	26.2976	16.818	68.970	31.030	
6	212	31.4745	20.129	89.099	10.901	
7	150	13.597	8.696	97.795	2.205	
8	75	2.8976	1.853	99.648	0.352	
9	Pan	0.5505	0.352	100.000	0.000	
	Total:	156.362				




 $D_{50} = 530 \text{ microns}$

Station Name: Poompuhar -2 Date of collection: 25/01/05

Time: 11:01:00 AM


Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0.119	0.071	0.071	99.929	
3	500	17.0012	10.195	10.267	89,733	
• 4	425	0	0.000	10.267	89.733	
5	300	55.3891	33.216	43.482	56.518	
6	212	74.7966	44.854	88.336	11.664	
7	150	15.6776	9,402	97.738	2.262	
8	75	3.0788	1.846	99.584	0.416	
9	Pan	0.6932	0.416	100.000	0.000	
	Total:	166.756				



D₅₀ = 290 microns

Station Name: Thirumullaivasal

Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0	0.000	0.000	100.000	
3	500	0.4155	0.430	0.430	99.570	
. 4	425	0	0.000	0.430	99.570	
5,	300	-6.6478	-6.876	-6.447	106.447	
6	212	71.9464	74.420	67.974	32.026	
7	150	26.0597	26.956	94.929	5.071	
8	75	3.6134	3.738	98.667	1.333	
9	Pan	1.2886	1.333	100.000	0.000	
	Total:	96.676		·		




 $D_{50} = 270 \text{ microns}$

Station Name: Kodiyam palayam -1 Date of collection: 27/01/2005

Time: 10:20:00 AM

Sr. No	Sieve size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0	0.000	0.000	100.000	
3	500	0.1704	0.279	0.279	99.721	
` 4	425	0	0.000	0.279	99.721	
5	300	1.6264	2.662	2.941	97.059	
6	212	25.2993	41.415	44.357	55.643	L
7	150	25.7882	42.215	86.572	13.428	
8	75	6.0062	9.832	96.404	3.596	
9	Pan	2.1966	3.596	100.000	0.000	
	Total:	61.087				




 $D_{50} = 200 \text{ microns}$

Station Name: Kodiyam Palayam -2 Date of collection: 27/01/2005

Time: 11:15:00 AM

Sr. No	Sieve size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	0	0.000	0.000	100.000	0	
. 2	0	0.000	0.000	100.000	0	
3	0	0.000	0.000	100.000	0	
4	0	0.000	0.000	100.000	0	
5	0.1724	0.144	0.144	99.856	0.1724	
6	19.226	16.058	16.202	83.798	19.226	
7	64.1927	53.615	69.817	30.183	64.1927	
8	25.3308	21.157	90.974	9.026	25.3308	
9	10.8071	9.026	100.000	0.000	10.8071	
	Total:	119.729				




 D_{50} =175 microns

Station Name: Velangirayan **Date of collection**: 29/01/05

Time: 11:23:00 AM


Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0	0.000	0.000	100.000	
3	500	0	0.000	0.000	100.000	
· 4	425	0	0.000	0.000	100.000	
5	300	1.5563	1.423	1.423	98.577	
6	212	60.5654	55.393	56.817	43.183	
7	150	38.9945	35.665	92.481	7.519	
8	75	5.7077	5.220	97.702	2.298	
9	Pan	2.513	2.298	100.000	0.000	
	Total:	109.337				



 $D_{50} = 225$ microns

Station Name: Reddiyar Pettai
Date of collection: 02/02/2005 Time: 12:40:00 PM


Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0	0.000	0.000	100.000	
3		0,321	0.194	0.194	99.806	
	500	0.521	0.000	0.194	99.806	
<u>4</u> 5	425	5.3292	3.218	3,412	96.588	
<u> </u>	300	98.1465	59.273	62.685	37.315	
	212	53.8978	32.550	95.236	4.764	
	150	6.2128	3.752	98.988	1.012	
<u>8</u> 9	75 Don	1,6764	1.012	100.000	0.000	
9 Pan Total:		165.584	1.0.2			



 $D_{50} = 230 \text{ microns}$

Station Name: Kurinjipadi Date of collection: 2/02/2005 Time: 11:33:00 AM

Sr. No	Sieve size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0	0.000	0.000	100.000	
3	500	1.2408	0.862	0.862	99.138	·
. 4	425	0	0.000	0.862	99.138	
5	300	30.6716	21.302	22.163	77.837	
6	212	81.8228	56.826	78.989	21.011	
$-\frac{3}{7}$	150	26.3237	18.282	97.271	2.729	
8	75	3.079	2.138	99.410	0.590	
9	Pan	0.85	0.590	100.000	0.000	
	Total:	143.988				




 $D_{50} = 260 \text{ microns}$

Station Name: Thevanampattinam

Date of collection: 02/02/2005 Time: 9:21:00 AM


Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	2.5786	1.690	1.690	98.310	
3	500	34.4735	22.596	24.286	75.714	
. 4	425	0	0.000	24.286	75.714	
. 5	300	47.3509	31.037	55.323	44.677	
6	212	53.8764	35.314	90.637	9.363	
7	150	11.9972	7.864	98.500	1.500	
8	75	1.892	1.240	99.741	0.259	
9	Pan	0.3958	0.259	100.000	0.000	
	Total:	152.564				



 $D_{50} = 320$ microns

Station Name: Pudukuppam
Date of collection: 01/02/2005 Time: 3:45:00 PM

Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	1.7465	1.597	1.597	98.403	
3	500	47.9597	43.860	45.457	54.543	
. 4	425	0	0.000	45.457	54.543	
5	300	31.6988	28.989	74.447	25.553	
6	212	21.1699	19.360	93.807	6.193	
7	150	5.8594	5.359	99.166	0.834	
8	75	0.755	0.690	99.856	0.144	
9	Pan	0.1574	0.144	100.000	0.000	
	Total:	109.347				




 $D_{50} = 405$ microns

Station Name: Periyakalapet (South)

Date of collection: 01/02/2005 Time: 11:24:00 AM

Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0.132	0.088	0.088	99.912	
2	1000	5.4332	3.642	3.730	96.270	
3	500	117.842	78.987	82.718	17.282	
. 4	425	0	0.000	82.718	17.282	
5	300	22.872	15.331	98.048	1.952	
6	212	2.433	1.631	99.679	0.321	
7	150	0.3264	0.219	99.898	0.102	
8	75	0.0767	0.051	99.949	0.051	
9	Pan	0.0756	0.051	100.000	0.000	
· · · · · · · · · · · · · · · · · · ·	Total:	149.191				




 $D_{50} = 710$ microns

Station Name: Periyakalapet (Middle)

Date of collection: 01/02/2005 Time: 9:46:00 AM

Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0.7408	0.410	0.410	99.590	
3	500	53.51 52	29.602	30.012	69.988	
. 4	425	0	0.000	30.012	69.988	
5	300	65.7076	36.347	66.359	33.641	
6	212	49.4324	27.344	93.703	6.297	
7	150	10.4967	5.806	99.509	0.491	
8	75	0.7416	0.410	99.920	0.080	
9	Pan	0.1454	0.080	100.000	0.000	
	Total:	180.780				




 $D_{50} = 360$ microns

Station Name: Periyakalapet (North)

Date of collection: 01/02/2005 Time: 1:06:00 AM


Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0.3608	0.253	0.253	99.747	
3	500	54.1996	38.056	38.310	61.690	
٠ 4	425	0	0.000	38.310	61.690	
5	300	59.3562	41.677	79.986	20.014	
6	212	26.0894	18.319	98.305	1.695	
7	150	1.9145	1.344	99.649	0.351	
8	75	0.3134	0.220	99.869	0.131	
9	Pan	0.186	0.131	100.000	0.000	i
	Total:	142.420				



 $D_{50} = 390$ microns

Station Name: Nochi Kuppam
Date of collection: 03/02/2005 Time: 4:10:00 PM


Sr. No	Sieve size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0.	0.000	0.000	100.000	
2	. 1000	1.0958	0.613	0.613	99.387	·
. 3	500	62.4861	34.965	35.578	64.422	
4	425	0	0.000	35.578	64.422	
5	300	69.0572	38.642	74.220	25.780	
6	212	40.7342	22.793	97.013	2.987	
7	150	4.4664	2.499	99.513	0.487	
8	75	0.6777	0.379	99.892	0.108	
. 9	Pan	0.1935	0.108	100.000	0.000	
	Total:	178.711				



 $D_{50} = 380 \text{ microns}$

Station Name: Ekkiyar Kuppam
Date of collection: 03/02/2005 Time: 9:16:00 AM

Sr. No	Sieve size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	0	0.000	0.000	100.000	0	
2	1.4863	0.975	0.975	99.025	1.4863	
. 3	17.2724	11.326	12.301	87.699	17.2724	
4	0	0.000	12.301	87.699	0	
5	17.6998	11.606	23.907	76.093	17.6998	
6	55.6158	36.469	60.376	39.624	55.6158	
7	47.9328	31.431	91.807	8.193	47.9328	
8	9.5702	6.275	98.083	1.917	9.5702	
9	2.9242	1.917	100.000	0.000	2.9242	
	Total:	152.502				




D_{50.}=240 microns

Station Name: Kottai Kadu Kuppam

Date of collection: 3/2/05 Time: 2:27:00 PM

Sr. No	Sieve size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	1.5655	0.836	0.836	99.164	
2	1000	7.0997	3.790	4.625	95.375	
3	500	78.0598	41.666	46.292	53.708	
. 4	425	0	0.000	46.292	53.708	
5	300	64.0575	34.192	80.484	19.516	
6	212	27.5646	14.713	95.197	4.803	<u></u>
7	150	6.1886	3.303	98.501	1.499	
8	75	1.7054	0.910	99.411	0.589	
9	Pan	1.1036	0.589	100.000	0.000	
	Total:	187.345				




 $D_{50} = 415 \text{ microns}$

Station Name: Alambarai Kuppam

Date of collection: 03/02/2005 Time: 11:46:00 AM


Sr. No	Sieve size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0.4666	0.389	0.389	99.611	
3	500	33.6369	28.060	28.449	71.551	,
. 4	425	0	0.000	28.449	71.551	
5	300	33.2981	27.777	56.226	43.774	
6	212	36.8084	30.705	86.931	13.069	
7	150	13.7438	11.465	98.396	1.604	
8	75	1.6678	1.391	99.787	0.213	
9	Pan	0.2554	0.213	100.000	0.000	
	Total:	119.877				



 $D_{50} = 330 \text{ microns}$

Station Name: Sadrangpattinam
Date of collection: 04/02/2005 Time: 12:40:00 PM


Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	4.7754	2.968	2.968	97.032	
2	1000	7.2552	4.509	7.477	92.523	
3	500	42.104	26.167	33.644	66.356	
. 4	425	0	0.000	33.644	66.356	
5	300	38.753	24.085	57.729	42.271	
6	212	53.6955	33.371	91.100	8.900	
7	150	13.1814	8.192	99.292	0.708	
8	75	0.9513	0.591	99.884	0.116	
9	Pan	0.1872	0.116	100.000	0.000	
	Total:	160.903				



 $D_{50} = 340 \text{ microns}$

Station Name: Mahabalipuram
Date of collection: 04/02/2005 Time: 1:50:00 PM

Sr. No	Sieve size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0.4885	0.302	0.302	99.698	
2	1000	9.541	5.895	6.196	93.804	
3	500	53.9781	33.348	39.545	60.455	
• 4	425	0	0.000	39.545	60.455	
5	300	46.2472	28.572	68.117	31.883	
_ 6	212	41.6726	25.746	93.863	6.137	
$-\frac{3}{7}$	150	4.545	2.808	96.671	3.329	
 8	75	0.8624	0.533	97.203	2.797	
9	Pan	4.5266	2.797	100.000	0.000	
·	Total:	161.861				




 $D_{50} = 380 \text{ microns}$

Station Name: Kovalam beach


Date of collection: 05/02/2005 Time: 10:20:00 AM

Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	4.6488	2.973	2.973	97.027	
2	1000	53,4592	34.184	37.157	62.843	
3	500	74.4402	47.600	84.757	15.243	
. 4	425	0	0.000	84.757	15.243	
5	300	15,6962	10.037	94.794	5.206	
6	212	5.003	3.199	97.993	2.007	
$\frac{0}{7}$	150	1.3213	0.845	98.838	1.162	
8	75	0.7676	0.491	99.329	0.671	
9	Pan	1.0494	0.671	100.000	0.000	
Total:		156.386				



D₅₀ =865 microns


Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	2.3636	1.286	1.286	98.714	
, 3	500	30.664	16.685	17.971	82.029	
4	425	0	0.000	17.971	82.029	
5	300	46.7198	25.421	43.391	56.609	
6	212	79.9028	43.476	86.867	13.133	
7	150	20.9952	11.424	98.291	1.709	
8	75	2.3481	1.278	99.568	0.432	
9	Pan	0.7936	0.432	100.000	0.000	
	Total:	183.787				



 D_{50} = 290 microns

Station Name: Krishnapatanam (Andhra Pradesh)
Date of collection: 06 /02/2005 Time: 2:45:00 PM

Sr. No	Seive size (microns)	Weight retained (g)	% Weight retained	Cumulative % weight retained	% finer	Remarks
1	2000	0	0.000	0.000	100.000	
2	1000	0.0808	0.052	0.052	99.948	
. 3	500	2.0108	1.285	1.336	98.664	
4	425	0	0.000	1.336	98.664	
5	300	5.5227	3.528	4.864	95.136	
6	212	25.954	16.580	21.444	78.556	
7	150	62.9269	40.198	61.641	38.359	
8	75	37.3551	23.863	85.504	14.496	
9	Pan	22.6924	14.496	100.000	0.000	
Total:		156.543				



 $D_{50} = 165 \text{ microns}$